



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CALC FREE 10x1 I
Identification number : 61940

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Skin corrosion, Category 1A H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements : P102 Keep out of reach of children.



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Prevention:

P260 Do not breathe spray.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
orthophosphoric acid

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous solution

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
orthophosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Skin Corr. 1B; H314 Met. Corr. 1; H290 SCL ≥ 25 % 1B; H314 10 - < 25 % 2; H315 10 - < 25 % 2; H319	≥ 25 - < 40
nitrilotrimethylenetrakis(phosphonic acid)	6419-19-8 229-146-5 01-2119487988-08	Eye Irrit. 2; H319 Met. Corr. 1; H290	≥ 1 - < 2

For explanation of abbreviations see section 16.



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Protect unharmed eye.
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : corrosive effects
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	2009-12-19	2000/39/EC
Further information	:	Indicative			
orthophosphoric acid	7664-38-2	STEL	2 mg/m ³	2009-12-19	2000/39/EC
Further information	:	Indicative			

DNEL

orthophosphoric acid
7664-38-2:

: End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term local effects
Value: 1 mg/m³

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term local effects
Value: 0,36 mg/m³

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 2 mg/m³

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

	Value: 10,7 mg/m3
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 4,57 mg/m3
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 0,1 mg/kg
nitrotrimethylenetris(phosphonic acid) 6419-19-8:	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Acute systemic effects
	Value: 2,75 mg/kg bw/day
	End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Acute systemic effects
	Value: 9,7 mg/m3
	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 2,75 mg/kg bw/day
	End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 9,7 mg/m3
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Acute systemic effects
	Value: 1,38 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Acute systemic effects
	Value: 2,39 mg/m3
	End Use: Consumers
	Exposure routes: Ingestion
	Potential health effects: Acute systemic effects
	Value: 1,38 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 1,38 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Value: 2,39 mg/m³

End Use: Consumers

Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 1,38 mg/kg bw/day

PNEC

nitrilotrimethylenetris(phosphonic acid)
6419-19-8:

: Fresh water
Value: 0,46 mg/l

Marine water
Value: 0,046 mg/l

Fresh water sediment
Value: 150 mg/kg

Marine sediment
Value: 15 mg/kg

Soil
Value: 244 mg/kg

STP
Value: 20 mg/l

Oral
Value: 170 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
pH	: ca. 1,7, Concentration: 10,00 g/l
Melting point/range	: No data available
Boiling point/boiling range	: No information available.
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,19 g/cm ³
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components:

orthophosphoric acid

7664-38-2:

Acute oral toxicity : LD50 Oral Rat: 1.530 mg/kg

LD50 Oral Rat: 2.600 mg/kg

Acute inhalation toxicity : LC50 Rat: 0,21 mg/l
Exposure time: 4 h

LC50 Rat: 850 mg/l
Exposure time: 2 h

Acute dermal toxicity : LD50 Rabbit: 2.740 mg/kg

Skin corrosion/irritation : Species: Rabbit
Exposure time: 24 h
Result: Corrosive

Serious eye damage/eye irritation : Species: Rabbit
Result: Corrosive

Repeated dose toxicity : Rat: NOAEL: 250 mg/kg

Application Route: Oral
Method: OECD 422

nitrotrimethylenetris(phosphonic acid)

6419-19-8:

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401

LD50 Oral Rat: 2.100 mg/kg

LD50 Rat, male and female: 2.910 mg/kg
Method: OECD Test Guideline 401



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Acute dermal toxicity	: LD50 Rabbit: > 6.310 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation	: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Test Method: Maximisation Test Species: Guinea pig Result: Did not cause sensitisation on laboratory animals. Method: OECD Test Guideline 406
Germ cell mutagenicity	
Germ cell mutagenicity-Assessment	: In vivo tests did not show mutagenic effects
Carcinogenicity - Assessment	: Did not show carcinogenic, teratogenic or mutagenic effects in animal experiments.
Repeated dose toxicity	: Rat: NOAEL: > 500 mg/kg Exposure time: 24 Months Rat: NOAEL: > 1.000 mg/kg Exposure time: 34 Days Rat: NOAEL: > 6.000 mg/kg Exposure time: 90 Days Rat, male and female: NOAEL: > 500 mg/kg Method: OECD Test Guideline 453

SECTION 12: Ecological information

12.1 Toxicity

Components:

orthophosphoric acid
| 7664-38-2:

| Toxicity to fish : LC0 (Gambusia affinis (Mosquito fish)): 138 mg/l



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

	Exposure time: 96 h
	LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 100 - 1.000 mg/l Exposure time: 96 h
	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (activated sludge): 270 mg/l
	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

nitrilotrimethylenetris(phosphonic acid)

6419-19-8:

Toxicity to fish	: LC50 (Salmo trutta (brown trout)): 160 mg/l Exposure time: 14 d
	LC50 (Oncorhynchus mykiss (rainbow trout)): 160 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 297 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
	EC50 (Daphnia (water flea)): 94 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (algae): > 100 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC: 23 mg/l Exposure time: 60 d Species: Oncorhynchus mykiss (rainbow trout)



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Toxicity to daphnia and other
aquatic invertebrates (Chronic
toxicity)

Method: OECD Test Guideline 210
: NOEC: > 25 mg/l
Exposure time: 28 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

orthophosphoric acid 7664-38-2:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

nitrilotrimethylenetris(phosphonic acid) 6419-19-8:

Biodegradability : Inoculum: Marine water
Concentration: 4,08 mg/l
Biodegradation: 23 %
Exposure time: 28 d
Method: OECD 301 D

Inoculum: Marine water
Concentration: 11,97 mg/l
Biodegradation: 22 %
Exposure time: 28 d
Method: OECD 301 D

Inoculum: Marine water
Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 306

Inoculum: Marine water
Concentration: 8 mg/l
Biodegradation: 21,7 %
Exposure time: 28 d
Method: OECD Test Guideline 306

Inoculum: Marine water
Concentration: 10 mg/l
Biodegradation: 2,6 %
Exposure time: 28 d
Method: OECD Test Guideline 306

Inoculum: Marine water
Concentration: 1 mg/l
Biodegradation: 41 %



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Exposure time: 28 d
Method: OECD Test Guideline 306

Inoculum: Marine water
Concentration: 2,5 mg/l
Biodegradation: 22 %
Exposure time: 28 d
Method: OECD Test Guideline 306

Biodegradation: 13,5 %
Exposure time: 30 d
Method: OECD 301 D

Biodegradation: 23 %
Exposure time: 28 d
Method: OECD 302 B

Biodegradation: 90 %
Method: OECD Test Guideline 302A

Biodegradation: 20 %
Method: OECD 301 E

Concentration: 1 mg/l
Result: Not rapidly biodegradable
Biodegradation: 22 %
Related to: Chemical oxygen demand
Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

orthophosphoric acid

7664-38-2:

Partition coefficient: n-
octanol/water : log Pow: -0,77

nitrotrimethylenetris(phosphonic acid)

6419-19-8:

Partition coefficient: n-
octanol/water : log Pow: -3,53

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

orthophosphoric acid

7664-38-2:

Assessment

: This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Waste Code : European Waste Catalogue
20 01 29
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR : 1805
IMDG : 1805
IATA : 1805

14.2 Proper shipping name

ADR : PHOSPHORIC ACID SOLUTION
IMDG : PHOSPHORIC ACID SOLUTION
IATA : Phosphoric acid, solution Not permitted for transport

14.3 Transport hazard class

ADR : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADR :
Classification Code : C1



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Packaging group	:	III
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
IMDG		
Packaging group	:	III
Labels	:	8
EmS Number	:	F-A, S-B
IATA		
(Cargo)	:	Phosphoric acid, solution Not permitted for transport
Packaging group	:	III
Labels	:	8

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

IATA

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

: Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

	: Inorganic substances in vapour or gaseous form: Not applicable
	: Organic Substances: : portionClass 1: < 0,01 %
	: Carcinogenic substances: : portionClass 3: < 0,01 %
	: Mutagenic: Not applicable
	: Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: < 0,01 % 0,01 g/l 0 % VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: < 0,01 % 0 g/l 0 % VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Phosphonates, Non-ionic surfactants
GISBAU (D)	: GS 80

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:	H290	On basis of test data.
	H314	On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European



CALC FREE 10x1 I

WM 0712688

Order number: 0712688

Version 5.0

Revision Date 09.08.2019

Print Date 08.03.2020

Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

50000001041