according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : INOXOL CLEAN 10X1 L

Identification number : 64091, 61322

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH

Rheinallee 96 55120 Mainz : +49613196403

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)



WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

	Registration number		
propan-2-ol	67-63-0 200-661-7 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 2 - < 5
citric acid	77-92-9 201-069-1 01-2119457026-42	Eye Irrit. 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Sweep up and shovel.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice

required.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed. Protect from

frost.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

propan-2-ol : End Use: Workers

67-63-0: Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 888 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 500 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 319 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 26 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 89 mg/m3

PNEC

propan-2-ol : Fresh water 67-63-0: Value: 140,9 mg/l

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Marine water Value: 140,9 mg/l

Fresh water sediment Value: 552 mg/kg

Marine sediment Value: 552 mg/kg

Soil

Value: 28 mg/kg

intermittent release Value: 140,9 mg/l

STP

Value: 2251 mg/l

Oral

Value: 160 mg/kg

citric acid : Fresh water 77-92-9: Value: 0.44

Value: 0,44 mg/l

Marine water Value: 0,044 mg/l

STP

Value: > 1000 mg/l

Fresh water sediment Value: 34,6 mg/kg

Marine sediment Value: 3,46 mg/kg

Soil

Value: 33,1 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves. Chemical resistant gloves made of butyl rubber or nitrile rubber

category III according to EN 374-1: 2003 (0,4 mm).

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous liquid

Colour : white
Odour : odourless

Odour Threshold : No data available

pH : ca. 2,9

: No data available Melting point/range Boiling point/boiling range No data available Flash point Not applicable No data available Evaporation rate Flammability (solid, gas) : No data available Burning rate No data available No data available Lower explosion limit Upper explosion limit No data available Vapour pressure No data available : No data available Relative vapour density Relative density : No data available Density : ca. 1,155 g/cm3

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Thermal decomposition : No data available Viscosity, dynamic : ca. 3.300 mPa.s

Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Further information : No data available

Components: propan-2-ol

propan-2-0 67-63-0:

Acute oral toxicity : LD50 Oral Rat: 5.840 mg/kg

Method: OECD Test Guideline 401

LD50 Oral Rat: 4.570 mg/kg

Acute inhalation toxicity : LC50 Rat, female: 47,5 mg/l

Exposure time: 8 h

Method: OECD Test Guideline 403

LC50 Rat: 72,6 mg/l Exposure time: 4 h

LC50 Mouse: 27,2 mg/l Exposure time: 4 h

LC50 Rat: 25 mg/l Exposure time: 6 h

Method: OECD Test Guideline 403

LC50 Rat: 30 mg/l Exposure time: 4 h

LC50 Rat: 10000 ppm Exposure time: 6 h

Acute dermal toxicity : LD50 Rabbit: 12.800 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 12.870 mg/kg Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 13.900 mg/kg Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 13.400 mg/kg

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Serious eye damage/eye

irritation

Species: Rabbit Result: irritating

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Respiratory or skin sensitisation : Test Method: Buehler Test

Species: Guinea pig

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro : Type: Ames test

Test species: Salmonella typhimurium with and without metabolic activation

Result: negative

citric acid 77-92-9:

Acute oral toxicity : LD50 Oral Mouse: 5.400 mg/kg

Method: OECD Test Guideline 401

LD50 Oral Rat: 11.700 mg/kg Method: OECD Test Guideline 401

LD50 Oral Mouse: 5.000 mg/kg

LD50 Oral Rat: 3.000 mg/kg

Acute dermal toxicity : LD50 Dermal Rat: > 2.000 mg/kg

Acute toxicity (other routes of

administration)

see user defined free text Rat: 725 mg/kg

Application Route: see user defined free text

see user defined free text Mouse: 940 mg/kg Application Route: see user defined free text

Skin corrosion/irritation : Result: Mild skin irritation

Serious eye damage/eye

irritation

: Result: Eye irritation

Respiratory or skin sensitisation : Result: Does not cause skin sensitisation.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Repeated dose toxicity : Rat: NOAEL: 4.000 mg/kg

LOAEL: 8.000 mg/kg Application Route: Oral Exposure time: 10 d

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

SECTION 12: Ecological information

12.1 Toxicity

Components:

propan-2-ol 67-63-0:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.400 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13.299 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 9.714 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

(Daphnia (water flea)): > 10.000 mg/l Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 30 mg/l

Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 10.000 mg/l

Exposure time: 48 h

Toxicity to algae : IC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

GLP: no

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l

Exposure time: 72 h

EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h Test Type: static test



WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Toxicity to bacteria : EC50 (Aliivibrio fischeri): 17.700 mg/l

Exposure time: 5 min

GLP:

EC10 (Pseudomonas putida): 5.175 mg/l

Exposure time: 18 h Method: DIN 38412

GLP:

citric acid 77-92-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.535 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l

Exposure time: 72 h

Toxicity to algae : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l

Exposure time: 8 Days Test Type: static test

Toxicity to bacteria : (Pseudomonas putida): > 10.000 mg/l

Exposure time: 16 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

Components:

propan-2-ol 67-63-0:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 95 % Exposure time: 21 d Method: OECD 301 E

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 53 % Exposure time: 5 d

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 10 d

GLP: no



WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Biodegradation: 99,9 %

Method: see user defined free text

Chemical Oxygen Demand

(COD)

: 2,32 g/kg

ThOD : 2,40 g/g

citric acid 77-92-9:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d Method: OECD 301 B

Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 19 d Method: OECD 301 E

Biochemical Oxygen Demand

(BOD)

: 526 mg/g

Chemical Oxygen Demand

(COD)

: 728 mg/g

ThOD : 0,75 g/g

12.3 Bioaccumulative potential

Components:

propan-2-ol 67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-

octanol/water

: log Pow: 0,05

citric acid 77-92-9:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -1,72

12.4 Mobility in soil

Components:

propan-2-ol 67-63-0:

Distribution among

environmental compartments

: Koc: 25Remarks: Highly mobile in soils



WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher...

Components:

propan-2-ol 67-63-0:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)..

citric acid 77-92-9:

Assessment : This substance is not considered to be persistent, bioaccumulating

and toxic (PBT).. This substance is not considered to be very

persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

Waste Code European Waste Catalogue

200129

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable

the Council concerning the export and import of dangerous

chemicals

: Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

Not applicable

dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable

: Inorganic substances in powdered form: Not applicable

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

: Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Percent volatile: 2 %

165,48 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

: Percent volatile: 2 %

23,1 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents

Regulation EC 648/2004

: <5% Anionic surfactants, Non-ionic surfactants

GISBAU (D) : GU 10

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Further information

Classification procedure: Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL

according to Regulation (EC) No. 1907/2006



INOXOL CLEAN 10X1 L

WM 0713130 Order number: 0713130

Version 6.1 Revision Date 28.06.2018 Print Date 08.03.2020

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000002494