

Order	number:	0713792

Version 4.0 Revision Date 09.01.2020 Prir	nt Date 08.03.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

WM 1113882

Trade name	:	INOXOL COMPLETE 10X750 ML SCAN
Identification number	:	64899

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Cleaning agent
------------------------------	------------------

Restricted to professional users.

## 1.3 Details of the supplier of the safety data sheet

Company	:	tana Chemie GmbH
		Rheinallee 96
		55120 Mainz
Telephone	:	+49613196403
Telefax	:	+4961319642414
E-mail address	:	Produktsicherheit@werner-mertz.com
Responsible/issuing person		
Contact person	:	Product development / product safety

## 1.4 Emergency telephone number

112

+49(0)6131-19240

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

## Additional Labelling:

Safety data sheet available on request.

## 2.3 Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Hazardous components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)



WM 1113882

Order number: 0713792

Version 4.0

Revision Date 09.01.2020

Print Date 08.03.2020

	Registration number		
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	918-167-1 01-2119472146-39	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 5 - < 10
C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated	677026-24-3 932-102-4 Nicht relevant (Polymer)	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 2 - < 2,5

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures General advice : No hazards which require special first aid measures. If inhaled Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. In case of skin contact Take off contaminated clothing and shoes immediately. : Wash off with soap and plenty of water. In case of eye contact : Protect unharmed eye. If easy to do, remove contact lens, if worn. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Clean mouth with water and drink afterwards plenty of water. If swallowed ÷ Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : No information available. : No information available. Risks 4.3 Indication of any immediate medical attention and special treatment needed Treatment For specialist advice physicians should contact the Poisons

Information Service.



WM 1113882		Order number: 0713792	
			Drint Data 00.02.2020
Version 4.0		Revision Date 09.01.2020	Print Date 08.03.2020
SECTION 5: Firefighting measure	s		
5.1 Extinguishing media			
Suitable extinguishing media	:	Use extinguishing measures that are appr circumstances and the surrounding enviro	•
5.2 Special hazards arising from the	sul	ostance or mixture	
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to er courses.	nter drains or water
Hazardous combustion products	:	No hazardous combustion products are k	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained br	eathing apparatus.
Further information	:	Collect contaminated fire extinguishing wa not be discharged into drains. Fire residue extinguishing water must be disposed of in regulations.	es and contaminated fire

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
----------------------	--------------------------------------

## **6.2 Environmental precautions**

Environmental precautions : Try to prevent the material from entering drains or water courses.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Sweep up and shovel. Wipe up with absorbent material (e.g. cloth, fleece).
	Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling

: For personal protection see section 8. No special handling advice required.



WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020 Print Da	ate 08.03.2020
Advice on protection against fire and explosion	Normal measures for preventive fire protection.	
Hygiene measures	Wash hands before breaks and at the end of workday.	
7.2 Conditions for safe storage, incl	g any incompatibilities	
Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated p at room temperature in the original container.	lace. Store
Advice on common storage	No special restrictions on storage with other products.	
Other data	No decomposition if stored and applied as directed. Protect frost.	xt from
7.3 Specific end use(s)		
Specific use(s)	Cleaning agent	

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

Personal protective equipment		
Eye protection	:	not required under normal use
Hand protection		
Material	:	not required under normal use
		For prolonged or repeated contact use protective gloves. It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm). As alternative, a different type of gloves might be used if, accordingly
		to the recommendations of the producer, guarantee the same level of protection.
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Skin and body protection	:	not required under normal use



# INOXOL COMPLETE 10X750 ML SCAN WM 1113882 Order number: 0713792 Version 4.0 Revision Date 09.01.2020 Print Date 08.03.2020 Respiratory protection : not required under normal use Environmental exposure controls Fry to prevent the material from entering drains or water courses.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	6,0, at20 °C
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 80 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,935 g/cm3
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	No data available
Thermal decomposition	:	No data available



WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020	Print Date 08.03.2020
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2 Other information		
none		
SECTION 10: Stability and reactivity	eactivity	
Stable under recommended	storage conditions., No dangerous reaction know	n under conditions of normal use.
10.2 Chemical stability		
No decomposition if stored a	and applied as directed.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: Protect from frost.	

# 10.5 Incompatible materials

10.5 Incompatible materials	
Materials to avoid	: No data available

# 10.6 Hazardous decomposition products

Hazardous decomposition	:	No hazardous decomposition products are known.
Other information	:	No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Product	
Skin corrosion/irritation	: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Serious eye damage/eye irritation	: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
Respiratory or skin sensitisation	: No data available
Germ cell mutagenicity	: Not Rated



M 1113882	Order number: 0713792	
ersion 4.0	Revision Date 09.01.2020	Print Date 08.03.2020
Carcinogenicity	: Not Rated	
Reproductive toxicity	: Not Rated	
STOT - single exposure	: The substance or mixture is not class toxicant, single exposure.	sified as specific target organ
STOT - repeated exposure	: The substance or mixture is not class toxicant, repeated exposure.	sified as specific target organ
Aspiration toxicity	: Not Rated	
Further information	: No data available	
<u>Components:</u> Hydrocarbons, C11-C12, isoalka	anes, <2% aromatics	
Acute oral toxicity	: LD50 Rat: > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: LC50 Rat: 4,951 mg/l Exposure time: 4 h Method: OECD Test Guideline 403	
Acute dermal toxicity	: LD50 Dermal : > 2.000 mg/kg	
I C16-18 Alcohol, C18-unsat., eth	oxylated, propoxylated	
677026-24-3: Acute oral toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 401	
Acute dermal toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation	: Species: Rabbit Result: irritating Method: OECD Test Guideline 404 Irritating to skin.	
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405 slight irritation	
Respiratory or skin sensitisation	: Test Method: Buehler Test Species: Guinea pig	



WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020	Print Date 08.03.2020
Germ cell mutagenicity	Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406 Did not cause sensitisation on laboratory anima	ls.
Genotoxicity in vitro	: Type: Ames test Test species: Salmonella typhimurium with and without metabolic activation Result: negative Method: OECD Test Guideline 471	

## **SECTION 12: Ecological information**

# 12.1 Toxicity

.1	loxicity			
	Product:			
	Components:			
	Hydrocarbons, C11-C12, isoalka	ne	s, <2% aromatics	
	:			
	Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h	
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h	
	Toxicity to algae	:	(Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Method: OECD Test Guideline 201	
	Toxicity to fish (Chronic toxicity)	:	NOELR: 0,209 mg/l Exposure time: 28 d Species: Fish	
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,011 mg/l Exposure time: 21 d Species: Daphnia (water flea)	
			NOELR: > 1 mg/l Exposure time: 21 d Species: Daphnia (water flea)	
	l C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated 677026-24-3:			
	Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203	
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l Exposure time: 48 h Test Type: static test	



# **INOXOL COMPLETE 10X750 ML SCAN**

WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020 Print D	ate 08.03.2020
	Method: OECD Test Guideline 202	
Toxicity to algae	<ul> <li>EC50 (Desmodesmus subspicatus (green algae)): &gt; 0,1 - Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201</li> </ul>	1 mg/l
	EC10 (Desmodesmus subspicatus (green algae)): > 0,1 - Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	1 mg/l
Toxicity to bacteria	: EC10 (Pseudomonas putida): > 2.000 mg/l Exposure time: 5,33 h Test Type: Respiration inhibition	
Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)	
Plant toxicity	: EC0: > 100 mg/kg End point: Growth inhibition Species: Brassica alba (mustard) Method: OECD 208	
	EC0: > 100 mg/kg End point: Growth inhibition Species: Triticum aestivm (wheat) Method: OECD 208	
	EC0: > 100 mg/kg End point: Growth inhibition Species: Lepidium sativum (cress) Method: OECD 208	
I 12.2 Persistence and degradability		
<u>Components:</u> C16-18 Alcohol, C18-unsat., etho	oxylated, propoxylated	
677026-24-3:	Test Test seekis	
Biodegradability	<ul> <li>Test Type: aerobic         Result: rapidly biodegradable         Biodegradation: &gt; 70 %         Exposure time: 28 d         Method: OECD Test Guideline 301A         Remarks: The surfactant(s) contained in this mixture         complies(comply) with the biodegradability criteria as laid         Regulation (EC) No.648/2004 on detergents. Data to supplies assertion are held at the disposal of the competent author         Member States and will be made available to them, at the request or at the request of a detergent manufacturer.     </li> </ul>	port this rities of the
	Test Type: aerobic Result: rapidly biodegradable	



INOXOL COMPLETE 10	X/SU ML SCAN	
WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020	Print Date 08.03.2020
	Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301B	
12.3 Bioaccumulative potential		
Components:		
C16-18 Alcohol, C18-unsat., eth 677026-24-3:	oxylated, propoxylated	
Bioaccumulation	: Bioconcentration factor (BCF): 500 Remarks: Bioaccumulation is unlikely.	
12.4 Mobility in soil		
<u>Components:</u> C16-18 Alcohol, C18-unsat., eth 677026-24-3:	oxylated, propoxylated	
Distribution among environmental compartments	: Adsorption/Soil log Koc: 3,722 Remarks: Slightly mobile in soils	
12.5 Results of PBT and vPvB asses	sment	
<u>Components:</u> C16-18 Alcohol, C18-unsat., eth 677026-24-3:	oxylated, propoxylated	
Assessment	: This substance is not considered to be very bioaccumulating (vPvB) This substance is persistent, bioaccumulating and toxic (PBT)	not considered to be
12.6 Other adverse effects		
Product: Additional ecological information	: There is no data available for this product.	
SECTION 13: Disposal considera	tions	
13.1 Waste treatment methods		
Product	: Offer surplus and non-recyclable solutions company.	to a licensed disposal
Contaminated packaging	: Empty remaining contents. Empty containers should be taken to an ap site for recycling or disposal.	proved waste handling

## **SECTION 14: Transport information**

14.1 UN number ADR Not dangerous goods IMDG



WM 1113882

Order number: 0713792

Version 4.0

Revision Date 09.01.2020

Print Date 08.03.2020

Not dangerous goods ΙΑΤΑ Not dangerous goods

14.2 Proper shipping name Not regulated as a dangerous good

## 14.3 Transport hazard class

ADR Not dangerous goods IMDG Not dangerous goods ΙΑΤΑ Not dangerous goods

#### 14.4 Packing group

ADR Not dangerous goods IMDG Not dangerous goods ΙΑΤΑ Not dangerous goods

## 14.5 Environmental hazards

ADR Not dangerous goods IMDG Not regulated as a dangerous good ΙΑΤΑ Not dangerous goods

## 14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

:

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
Seveso III: Directive 2012/18/EU : Not applicable of the European Parliament and of the Council on the control of	



WM 1113882	Order number: 0713792	
Version 4.0	Revision Date 09.01.2020	Print Date 08.03.2020
major-accident hazards involving dangerous substances. TA Luft List (Germany)	<ul> <li>Total dust: Not applicable</li> <li>Inorganic substances in powdered form</li> <li>Inorganic substances in vapour or gase</li> <li>Organic Substances: portionClass 1: 2</li> <li>Carcinogenic substances: Not applicable</li> <li>Mutagenic: Not applicable</li> <li>Toxic to reproduction: Not applicable</li> </ul>	ous form: Not applicable 5 %
Volatile organic compounds (VOC) content	<ul> <li>Directive 2010/75/EU of 24 November 2 (integrated pollution prevention and con Update: Percent volatile: 9,92 % 205,73 g/l</li> <li>VOC content excluding water</li> </ul>	
Volatile organic compounds (VOC) content	<ul> <li>Directive 2010/75/EU of 24 November 2 (integrated pollution prevention and con Update: Percent volatile: 9,92 % 92,75 g/l</li> <li>VOC content valid only for coating mate</li> </ul>	trol)
according to Detergents Regulation EC 648/2004	: >=30% aliphatic hydrocarbons, 5 - <15% METHYLISOTHIAZOLINONE, BENZIS(	
GISBAU (D)	: no assignment possible	

## 15.2 Chemical safety assessment

## **SECTION 16: Other information**

## **Full text of H-Statements**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### **Further information**

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:

Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -



## Professional

# **INOXOL COMPLETE 10X750 ML SCAN**

WM 1113882

Order number: 0713792

Version 4.0

Revision Date 09.01.2020

Print Date 08.03.2020

50000003925

Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.