



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANET SR 13 10x1 I
Identification number : 61557

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

	Registration number		
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 SCL >= 50 % 2; H319	>= 10 - < 15
Sulfonic acids, C14-17-sec-alkane, sodium salts	97489-15-1 307-055-2 01-2119489924-20	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 60 % 4; H302 > 15 % 1; H318 10 - 15 % 2; H319 > 10 % 2; H315	>= 1 - < 2
Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)	90622-74-5 292-477-9 01-2119489409-22	Eye Dam. 1; H318 Eye Irrit. 2; H315 Aquatic Chronic 2; H411	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
In case of contact, immediately flush skin with soap and plenty of water.
If symptoms persist, call a physician.

Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection. Vapours may form explosive mixtures with air.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

ethanol : End Use: Workers
64-17-5: Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 1900 mg/m³

End Use: Workers
Exposure routes: Inhalation



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Potential health effects: Long-term systemic effects
Value: 950 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 343 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 950 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 206 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 114 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 87 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 950 mg/m³

**Sulfonic acids, C14-17-sec-
alkane, sodium salts
97489-15-1:**

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 2,8 mg/cm²

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 5 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 35 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 2,8 mg/cm²

End Use: Consumers
Exposure routes: Skin contact



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Potential health effects: Acute local effects
Value: 2,8 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 3,57 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 12,4 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 7,1 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 2,8 mg/cm²

**Amides, C12-18 and C18-
unsatd., N,N-bis(hydroxyethyl)
90622-74-5:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 4,16 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 73,4 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,09 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2,5 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 21,73 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 6,25 mg/kg

End Use: Consumers
Exposure routes: Skin contact



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Potential health effects: Long-term local effects
Value: 0,056 mg/cm²

PNEC

ethanol
64-17-5:

: Fresh water
Value: 0,96 mg/l

Marine water
Value: 0,79 mg/l

Fresh water sediment
Value: 3,6 mg/kg

Soil
Value: 0,63 mg/kg

STP
Value: 580 mg/l

intermittent release
Value: 2,75 mg/l

Sulfonic acids, C14-17-sec-
alkane, sodium salts
97489-15-1:

: Fresh water
Value: 0,04 mg/l

Marine water
Value: 0,004 mg/l

Fresh water sediment
Value: 9,4 mg/kg

Marine sediment
Value: 0,94 mg/kg

Soil
Value: 9,4 mg/kg

STP
Value: 600 mg/l

intermittent release
Value: 0,06 mg/l

Oral
Value: 53,3 mg/kg

Amides, C12-18 and C18-
unsatd., N,N-bis(hydroxyethyl)
90622-74-5:

: Fresh water
Value: 0,007 mg/l

Marine water
Value: 0,0007 mg/l

Fresh water sediment



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Value: 0,035 mg/kg

Soil
Value: 0,153 mg/kg

STP
Value: 830 mg/l

intermittent release
Value: 0,024 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Remove and wash contaminated clothing before re-use.

not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Appearance	: liquid
Colour	: orange
Odour	: characteristic
Odour Threshold	: No data available
pH	: ca. 9,6
Melting point/range	: No data available
Boiling point/boiling range	: No information available.
Flash point	: ca. 38,1 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Not classified as supporting combustion according to the transport regulations.
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 0,980 g/cm ³
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: ca. 11 s Cross section: 4 mm
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components:

ethanol

64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg
Method: OECD Test Guideline 401

LD50 Rat: 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 51 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg
Method: OECD Test Guideline 402

LD50 Dermal Rabbit: > 10.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit
Result: Mild eye irritation
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Mouse
Result: Does not cause skin sensitisation.
Method: see user defined free text

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: 5.200 mg/kg

Species: Rat
Application Route: Oral
NOAEL: 13.800 mg/kg

Species: Rat



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

Repeated dose toxicity : Application Route: Inhalation
NOAEL: 30400 mg/m³
: Rat, male: NOAEL: > 20 mg/kg
Method: OECD Test Guideline 403
: Rat, female: NOAEL: 1.730 mg/kg
Method: OECD Test Guideline 408

Sulfonic acids, C14-17-sec-alkane, sodium salts

97489-15-1:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg
Method: OECD Test Guideline 401
Acute dermal toxicity : LD50 Dermal Mouse: > 2.000 mg/kg
Repeated dose toxicity : Rat, male and female: NOAEL: 200 mg/kg
Application Route: Oral
Mouse: NOAEL: 500 mg/kg
Application Route: Dermal

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Acute oral toxicity : LD50 Oral Rat: > 5.000 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol

64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l
Exposure time: 96 h
Method: OECD Test Guideline 203
LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l
Exposure time: 48 h
LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l
Exposure time: 96 h



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

- LC50 (Fish): 11.200 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l
Exposure time: 48 h
EC50 : 5.012 mg/l
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.
EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l
Exposure time: 168 h
EC50 : 4.432 mg/l
EC10 : 11,5 mg/l
EC10 : 280 mg/l
- Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test

Sulfonic acids, C14-17-sec-alkane, sodium salts 97489-15-1:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,81 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Scenedesmus subspicatus): > 61 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to bacteria : see user defined free text (Pseudomonas putida): 600 mg/l
Exposure time: 16 h
Method: DIN 38412
- Toxicity to soil dwelling organisms : 470 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)
Method: see user defined free text

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

90622-74-5:

- Toxicity to fish : LC50 (Brachydanio rerio): > 1 - 10 mg/l
Method: ISO 7346/2
- Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,01 - 0,1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

ethanol

64-17-5:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Method: OECD Test Guideline 301

Sulfonic acids, C14-17-sec-alkane, sodium salts

97489-15-1:

- Biodegradability : Biodegradation: 78 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: Readily biodegradable, according to appropriate OECD test.
- Biodegradation: 89 %
Exposure time: 28 d
Method: OECD 301 E
Remarks: Readily biodegradable, according to appropriate OECD test.
- Biodegradation: 96,2 %
Exposure time: 34 d
Method: see user defined free text
Remarks: Expected to be biodegradable

Chemical Oxygen Demand (COD) : 1.510 mg/g

Dissolved organic carbon (DOC) : 322 mg/g



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

12.3 Bioaccumulative potential

Components:

ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

12.4 Mobility in soil

Components:

ethanol

64-17-5:

Distribution among environmental compartments : Koc: 1Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalogue
200129
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

	: Inorganic substances in powdered form: Not applicable
	: Inorganic substances in vapour or gaseous form: Not applicable
	: Organic Substances: : portionClass 1: < 0,01 %
	: Carcinogenic substances: Not applicable
	: Mutagenic: Not applicable
	: Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 14,08 % 707,64 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 14,08 % 137,98 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Anionic surfactants, Non-ionic surfactants, Perfumes
GISBAU (D)	: GU 55

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation;



TANET SR 13 10x1 I

WM 0712863

Order number: 0712863

Version 4.3

Revision Date 09.11.2018

Print Date 03.01.2020

DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

50000000929