



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TANET universal 10x1 I EAST  
Identification number : 61273

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

112  
+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

#### 2.3 Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)



**TANET universal 10x1 I EAST**

**WM 0712866**

**Order number: 0712866**

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318  SCL >= 5 % 2; H315 > 5 - 38 % 2; H319 > 38 % 1; H318	>= 3 - < 5
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3  01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412  SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 1 - < 2

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : No information available.
- Risks : No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : For specialist advice physicians should contact the Poisons Information Service.



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

- Advice on safe handling : For personal protection see section 8. No special handling advice required.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.
- Advice on common storage : No special restrictions on storage with other products.
- Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### DNEL

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:** : End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects  
Value: 2158,33 mg/kg

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Systemic effects  
Value: 152,22 mg/m3

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects  
Value: 1295 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Systemic effects  
Value: 45,04 mg/m3

End Use: Consumers



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:**

Exposure routes: Ingestion  
Potential health effects: Long-term exposure, Systemic effects  
Value: 12,95 mg/kg

End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 2750 mg/kg bw/day

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 175 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 1650 mg/kg bw/day

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 52 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects  
Value: 15 mg/kg

End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term local effects  
Value: 0,132 mg/cm<sup>2</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term local effects  
Value: 0,079 mg/cm<sup>2</sup>

### PNEC

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:**

Fresh water  
Value: 0,042 mg/l

Marine water  
Value: 0,0042 mg/l

Fresh water sediment  
Value: 2,025 mg/l

Marine sediment  
Value: 0,2025 mg/l



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

	Soil Value: 0,0061 mg/l
	STP Value: 4 mg/l
<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:</b>	: Fresh water Value: 0,24 mg/l
	Marine water Value: 0,024 mg/l
	Fresh water sediment Value: 0,9168 mg/kg
	Marine sediment Value: 0,09168 mg/kg
	Soil Value: 7,5 mg/kg dry weight (d.w.)
	STP Value: 10000 mg/l
	intermittent release Value: 0,071 mg/l
	Fresh water sediment Value: 5,45 mg/kg
	Marine sediment Value: 0,545 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : not required under normal use

#### Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.  
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).  
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

### Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: yellow
Odour	: characteristic
Odour Threshold	: No data available
pH	: ca. 7,3, at 20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,009 g/cm <sup>3</sup> at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.  
Other information : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available





## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

Germ cell mutagenicity	: Not Rated
Carcinogenicity	: Not Rated
Reproductive toxicity	: Not Rated
STOT - single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: Not Rated
Further information	: No data available

### Components:

#### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

Acute oral toxicity	: LD50 Oral Rat: > 2.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 Rat: 52 mg/l Exposure time: 4 h Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 Dermal Rabbit: 6.300 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation	: Species: Rabbit Result: Irritating to skin. Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Result: Risk of serious damage to eyes. Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Species: Guinea pig Result: Did not cause sensitisation on laboratory animals. Method: OECD Test Guideline 406
Repeated dose toxicity	: Rat: NOAEL: 259 mg/kg  Application Route: Dermal Exposure time: 2 Years



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

Acute oral toxicity	: LD50 Oral Rat: 2.870 mg/kg Method: OECD Test Guideline 401
	LD50 Rat: 7.400 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes
Skin corrosion/irritation	: Species: Rabbit Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Result: Does not cause skin sensitisation.
Germ cell mutagenicity	
Genotoxicity in vitro	: Result: negative Method: OECD Test Guideline 471
Reproductive toxicity	: Species: Rat Application Route: Oral NOAEL: > 300 mg/kg, F1: > 300 mg/kg, Method: OECD Test Guideline 416
Teratogenicity	: Species: Rat Application Route: Oral >1.000 mg/kg > 1.000 mg/kg Method: OECD Test Guideline 414
Repeated dose toxicity	: NOAEL: 300 mg/kg
STOT - repeated exposure	: Exposure routes: Ingestion Target Organs: Liver

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

#### 68439-57-6:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 4,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 4,53 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: (Skeletonema costatum (marine diatom)): 5,2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Bacteria): 230 mg/l Method: OECD Test Guideline 209
Plant toxicity	: 2025 mg/l Duration: 10 d

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes  LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203  LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203  NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204  LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l Test Type: flow-through test Method: OECD Test Guideline 203  LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202  EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

	Method: OECD Test Guideline 202
	NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
	(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
	EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201
	EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes
	EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l
	NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe)
	NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

toxicity)	Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	: NOEC: 750 mg/kg Exposure time: 96 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

### 12.2 Persistence and degradability

#### Product:

Biodegradability	: Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
------------------	---

#### Components:

##### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

###### **68439-57-6:**

Biodegradability	: Biodegradation: > 80 % Method: OECD 301 B Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.
Chemical Oxygen Demand (COD)	: 790 mg/g
Dissolved organic carbon (DOC)	: 190 mg/g

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

###### **68891-38-3:**

Biodegradability	: Test Type: aerobic Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A
	Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d

### 12.3 Bioaccumulative potential

#### Components:

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

###### **68891-38-3:**

Bioaccumulation	: Remarks: Bioaccumulation is unlikely.
-----------------	---

### 12.4 Mobility in soil

#### Components:

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts**



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

**68891-38-3:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: Soil  
Koc: 191 Method: see user defined free text

### 12.5 Results of PBT and vPvB assessment

**Components:**

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

**68891-38-3:**

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.4 Packing group



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**IMDG**

Not regulated as a dangerous good

**IATA**

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 %  
: Organic Substances: : portionClass 1: < 0,01 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: < 0,01 %  
0,82 g/l  
VOC content excluding water



## TANET universal 10x1 I EAST

WM 0712866

Order number: 0712866

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: < 0,01 %  
0,04 g/l  
VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : <5% Anionic surfactants, Perfumes, PHENOXYETHANOL, BENZISOTHIAZOLINONE

GISBAU (D) : GU 40

### 15.2 Chemical safety assessment

#### SECTION 16: Other information

##### Full text of H-Statements

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

##### Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -





Werner & Mertz  
Professional

## **TANET universal 10x1 I EAST**

**WM 0712866**

**Order number: 0712866**

Version 6.0

Revision Date 20.08.2019

Print Date 03.01.2020

Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

---

50000003185